Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"2003010 <u>1442</u> ".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 15:39
S2	305	optimiz\$5 near5 (object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/27 11:25
S3	6	(optimiz\$5 near5 (object adj code)) and liveness	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/27 11:27
S4	26	compiler near5 optimization near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 10:17
S5	71	compiler near5 optimiz\$5 near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 10:17
S6	53	(compiler near5 optimiz\$5 near5 object adj code) not (compiler near5 optimization near5 object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 10:17
S7	125	optimiz\$5 near object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 10:27
S8	941	717/153-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 10:28

S9	293	("6286135" "6312924" "6265636"	US-PGPUB;	OR	ON	2004/07/29 12:04
25	293	(6286135 6312924 6263636 "6384203" "6403337" "6355788"	USPAT;	J OK	ON	2007/07/25 12:04
		"5854934" "5930510" "6026240"	EPO; JPO;			
		"6070011" "6151704" "4802091"	IBM_TDB			
		"5613121" "5634059" "5742781"	1011_100	İ .		
		"5797013" "5805863" "6059841"				
İ		"6059841" "6151706" "6192515"				
		"6226790" "6226790" "6253373"				
		"6343375" "6367071" "6651246"				
		"6654952" "6745384" "6397379"				
-		6034932				
		"6240531" "5862385" "6049669"				
		"5411046" "5644758" "5706483"				.
		"6026239" "6299501" "6461214"				
		"6313376" "6388169" "6392126"				
		"6403860" "6421613" "5606258"				
İ		"5546559" "5655122").pn.				
ļ		("6173443" "6376445" "5802338"				
		"5915117" "6401187" "6539541" "5850554" "6128775" "6448035"				
		"5493675" "5577253" "5836014"				
		"5835771" "6006033" "6059839"				
		"6059839" "6151701" "6289505"				
		"6295644" "6427234" "6651247"				
		"6622301" "6014725" "6475753"				,
		6622301 6014723 6473733 "5469572" "5991856" "6226787"				
		"6226787" "6078290" "6314562"				
		"6757892" "6383778" "5790867"			ŀ	
		"5822570" "5850553" "5987249"				
		"5999738" "6119223" "6122656"				
		"6173444" "6186677" "6202204"				
		"5958045" "5854933" "5774727"				
		"5828875" "5920724" "6016399"				
		"6036346" "6128727").pn.				
		("6287765" "6327514" "6341371"				
		"5966538" "6462874" "5407755"				
	1	"5761635" "4594847" "4891961"				
		"5619543" "5266876" "5920502"	,			
		"6002612" "6046939" "4794514"				
		"5337156" "5828313" "6079004"				
		"6128096" "6181432" "5522053"				
		"6113651" "6351570" "5327253"				
		"6262161" "6362270" "4850629"				
		"4990346" "4958305" "4873476"				
		"6442385" "4353092" "4463250"				
		"4516950" "5233658" "5239487"				
	["5717845" "5819093" "6042614"				
	1	"6185672" "6247114" "6268853"				
		"6272672" "6286017" "6460130"				
		"5452934" "5354589" "6246422"				
		"4358678" "4509039").pn.				
		("4517093" "4832343 ["] "4856688"				
	İ	• "5249592" "5395343" "5459451"				
		"5672998" "5696918" "5760771"				
		"6105758" "6150857" "6316703"				
		"5834085" "5629889" "6313375"				
		"6379665" "6426072" "6436703"				
<u></u>		<u>"6465203" "6229737" "6173162"</u>				
Search	History 10/1	^{4/05} 15/345 ^{17, PM} 118785 ^{,2} "6380361" :ttings/AFOWkes/MX/DOGUMENTS/FASJ/(Worl	Venaces\METHO	ן אר ססססטעדו	IS AND S	YSTEM TO EODMIII ATE
UTALIOCE	uments and Se	поны учестины жи таксищентелетатуры	NODALES (1715 1710	IU, AFFAKA N	JJ, KIYU 5	ISTURIO FORMULATE

C:\Documents and Settings\AFowkes\Wy.Documents\EAST\Workspaces\METHOD, APPARATUS, AND SYSTEM TO FORMULATE REGION:

"5019785" "6313378" "6423828"

			 		· · · · · · · · · · · · · · · · · · ·	
S10	99	(("6286135" "6312924" "6265636"	US-PGPUB;	OR	ON	2004/07/29 12:16
		"6384203" "6403337" "6355788"	USPAT;			
		"5854934" "5930510" "6026240"	EPO; JPO;			
		"6070011" "6151704" "4802091"	IBM_TDB			
		"5613121" "5634059" "5742781"	_			
		"5797013" "5805863" "6059841"				
		"6059841" "6151706" "6192515"				
		"6226790" "6226790" "6253373"				
		"6343375" "6367071" "6651246"				
	!	"6654952" "6745384" "6397379"				
		"6031994" "5692169" "5778219"				
		"6240531" "5862385" "6049669"		ŀ		
		"5411046" "5644758" "5706483"				
		"6026239" "6299501" "6461214"		}		
		"6313376" "6388169" "6392126"				
		"6403860" "6421613" "5606258"				
		"5546559" "5655122").pn.				
		("6173443" "6376445" "5802338"			•	
		"5915117" "6401187" "6539541"				
		"5850554" "6128775" "6448035"				
		"5493675" "5577253" "5836014"				
		"5835771" "6006033" "6059839"				
		"6059839" "6151701" "6289505"				
		"6295644" "6427234" "6651247"				
		"6622301" "6014725" "6475753"				
		"5469572" "5991856" "6226787"				
		"6226787" "6078290" "6314562"				
ļ		"6757892" "6383778" "5790867"			:	
		"5822570" "5850553" "5987249"				
		"5999738" "6119223" "6122656"				
		"6173444" "6186677" "6202204"				
		"5958045" "5854933" "5774727"				,
		"5828875" "5920724" "6016399"				
		"6036346" "6128727").pn.				
		("6287765" "6327514 [°] "6341371"				
		"5966538" "6462874" "5407755"				
		"5761635" "4594847" "4891961"				
		"5619543" "5266876" "5920502"				
	·	"6002612" "6046939" "4794514"				
		"5337156" "5828313" "6079004"				
		"6128096" "6181432" "5522053"				
		"6113651" "6351570" "5327253"				
		"6262161" "6362270" "4850629"				
		"4990346" "4958305" "4873476"				
		"6442385" "4353092" "4463250"				
	ļ	"4516950" "5233658" "5239487"				
	ŀ	"5717845" "5819093" "6042614"				
		"6185672" "6247114" "6268853"				
		"6272672" "6286017" "6460130"				
		"5452934" "5354589" "6246422"				
		1				
		"4358678" "4509039").pn.				
		("4517093" "4832343" "4856688"				
		"5249592" "5395343" "5459451"				
		"5672998" "5696918" "5760771"				
		"6105758" "6150857" "6316703"				
		"5834085" "5629889" "6313375"				
	-	"6379665" "6426072" "6436703"				
Search !	Hictory 10/1	"6465203" "6229737" "6173162"	 	 		
Search I	imports and So	4/0515;3424; PM 119785;3"6380361"	(ED3COE) METHO	L ADDADATI	IC VVID C	VSTEM TO FORMULATE

C:\Documents and Settings\Afonykes\My.Documents\Eash\Workspaces\METHOD, APPARATUS, AND SYSTEM TO FORMULATE REGION:

"5019785" "6313378" "6423828"

			LIC DODLID	00	ON	2004/07/20 47 ::
S11	12	two adj pass adj compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 15:41
S12	12021	(object machine) adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 15:41
S13	4	(two adj pass adj compil\$5) and ((object machine) adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 15:41
S14	1.	"5107418".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 17:56
S15	13	tail adj duplication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 18:19
S16	1	"6173444".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/29 18:20
S20	1	"20030101442".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S21	348	optimiz\$5 near5 (object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S22	6	(optimiz\$5 near5 (object adj code)) and liveness	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S23	29	compiler near5 optimization near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S24	80	compiler near5 optimiz\$5 near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S25	59	(compiler near5 optimiz\$5 near5 object adj code) not (compiler near5 optimization near5 object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55

S26	143	optimiz\$5 near object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S27	1065	717/153-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S28	12	two adj pass adj compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S29	14187	(object machine) adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S30	4	(two adj pass adj compil\$5) and ((object machine) adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S31	1	"5107418".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S32	14	tail adj duplication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S33	1	"6173444".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:55
S34	2	(upward downward up adj ward down adj ward) near (exposed) near register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:57
S35	. 2	(upward downward up adj ward down adj ward) near (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:57
S36	2	(upward downward up adj ward down adj ward) near3 (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 12:57
S37	2	(upward downward up adj ward down adj ward) near5 (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:08

C20	0	(ground? isolate? consuste?) = 4:	HC DCDUB.	OR	ON	2005/04/05 12:50
S38		(group\$3 isolat\$3 separat\$3) adj reuseable adj (code instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OK	ON	2005/04/05 12:59
S39	2	(group\$3 isolat\$3 separat\$3) adj (reusable re adj usable) adj (code instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:00
S40	355	(finish\$3 end\$3 completion) near probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:04
S41	122	(finish\$3 end\$3 completion) adj probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:05
S42	23	(completion) adj probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:04
S43	8	(US-20020091998-\$).did. or (US-5694577-\$ or US-5787287-\$ or US-5999737-\$ or US-6110227-\$ or US-6173444-\$ or US-6427230-\$ or US-6721945-\$).did.	US-PGPUB; USPAT	OR	ON	2005/04/05 13:04
S44	0	S43 and S40	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:05
S45	163735	probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:05
S46	2	S45 and S43	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/05 13:05
S47	18	tail adj duplicat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	ON	2005/04/05 14:36
S48	1	"20030101442".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S49	349	optimiz\$5 near5 (object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13

S50	6	(optimiz\$5 near5 (object adj code)) and liveness	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S51	30	compiler near5 optimization near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S52	81	compiler near5 optimiz\$5 near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S53 .	59	(compiler near5 optimiz\$5 near5 object adj code) not (compiler near5 optimization near5 object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S54	143	optimiz\$5 near object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S55	1066	717/153-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S56	12	two adj pass adj compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S57	14238	(object machine) adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S58	4	(two adj pass adj compil\$5) and ((object machine) adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S59	1	"5107418".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S60	14	tail adj duplication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S61	1	"6173444".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13

S62	. 81	compiler near5 optimiz\$5 near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S63	59	(compiler near5 optimiz\$5 near5 object adj code) not (compiler near5 optimization near5 object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S64	14238	(object machine) adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S65	. 1	"20030101442".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S66	1	"5107418".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S67	1	"6173444".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S68	6	(optimiz\$5 near5 (object adj code)) and liveness	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S69	30	compiler near5 optimization near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S70	12	two adj pass adj compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S71	4	(two adj pass adj compil\$5) and ((object machine) adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S72	14	tail adj duplication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S73	143	optimiz\$5 near object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13

S74	349	optimiz\$5 near5 (object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S75	1066	717/153-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S76	2 .	(upward downward up adj ward down adj ward) near (exposed) near register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S77	2	(upward downward up adj ward down adj ward) near (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S78	2	(upward downward up adj ward down adj ward) near3 (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S79	0	(group\$3 isolat\$3 separat\$3) adj reuseable adj (code instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	ON	2005/04/18 10:13
S80	2	(group\$3 isolat\$3 separat\$3) adj (reusable re adj usable) adj (code instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S81·	359	(finish\$3 end\$3 completion) near probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S82	123	(finish\$3 end\$3 completion) adj probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S83	23	(completion) adj probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S84	8	(US-20020091998-\$).did. or (US-5694577-\$ or US-5787287-\$ or US-5999737-\$ or US-6110227-\$ or US-6173444-\$ or US-6427230-\$ or US-6721945-\$).did.	US-PGPUB; USPAT	OR	ON	2005/04/18 10:13
S85	0	S84 and S81	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13

S86	164213	probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S87	2	S86 and S84	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S88	2	(upward downward up adj ward down adj ward) near5 (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S89	18	tail adj duplicat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:13
S90	1	"5787287".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/18 10:13
S91	1	"20030101442".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S92	369	optimiz\$5 near5 (object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S93	6	(optimiz\$5 near5 (object adj code)) and liveness	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S94 ·	31	compiler near5 optimization near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S95	88	compiler near5 optimiz\$5 near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S96	65	(compiler near5 optimiz\$5 near5 object adj code) not (compiler near5 optimization near5 object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S97	150	optimiz\$5 near object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53

S98	1158	717/153-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S99	12	two adj pass adj compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S10 0	15882	(object machine) adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S10 1	4	(two adj pass adj compil\$5) and ((object machine) adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S10 2	. 1	"5107418".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S10 3	15	tail adj duplication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S10 4	1	"6173444".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S10 5	88	compiler near5 optimiz\$5 near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S10 6	65	(compiler near5 optimiz\$5 near5 object adj code) not (compiler near5 optimization near5 object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S10 7	15882	(object machine) adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON .	2005/10/14 15:53
S10 8	1	"20030101442".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53
S10 9	1	"5107418".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:53

			1			· · · · · · · · · · · · · · · · · · ·
S11 0	1	"6173444".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S11 1	6	(optimiz\$5 near5 (object adj code)) and liveness	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S11 2	31	compiler near5 optimization near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S11 3	12	two adj pass adj compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S11 4	. 4	(two adj pass adj compil\$5) and ((object machine) adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S11 5	15	tail adj duplication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S11 6	150	optimiz\$5 near object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S11 7	369	optimiz\$5 near5 (object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S11 8	1158	717/153-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S11 9	2	(upward downward up adj ward down adj ward) near (exposed) near register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S12 0	2	(upward downward up adj ward down adj ward) near (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S12 1	2	(upward downward up adj ward down adj ward) near3 (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54

S12 2	0	(group\$3 isolat\$3 separat\$3) adj reuseable adj (code instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S12 3	2	(group\$3 isolat\$3 separat\$3) adj (reusable re adj usable) adj (code instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S12 4	394	(finish\$3 end\$3 completion) near probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S12 5	139	(finish\$3 end\$3 completion) adj probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S12 6	. 26	(completion) adj probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S12 7	8	(US-20020091998-\$).did. or (US-5694577-\$ or US-5787287-\$ or US-5999737-\$ or US-6110227-\$ or US-6173444-\$ or US-6427230-\$ or US-6721945-\$).did.	US-PGPUB; USPAT	OR	ON	2005/10/14 15:54
S12 8	0	S127 and S124	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S12 9	177658	probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S13 0	2	S129 and S127	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S13 1	2	(upward downward up adj ward down adj ward) near5 (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON .	2005/10/14 15:54
S13 2	19	tail adj duplicat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S13 3	88	compiler near5 optimiz\$5 near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54

			,	,		
S13 4	65	(compiler near5 optimiz\$5 near5 object adj code) not (compiler near5 optimization near5 object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S13 5	15882	(object machine) adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S13 6	88	compiler near5 optimiz\$5 near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S13 7	65	(compiler near5 optimiz\$5 near5 object adj code) not (compiler near5 optimization near5 object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S13 8	15882	(object machine) adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S13 9	2	(upward downward up adj ward down adj ward) near (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S14 0	2	(upward downward up adj ward down adj ward) near3 (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S14 ·	0	(group\$3 isolat\$3 separat\$3) adj reuseable adj (code instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S14 2	394	(finish\$3 end\$3 completion) near probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S14 3	139	(finish\$3 end\$3 completion) adj probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S14 4	26	(completion) adj probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S14 5	8	(US-20020091998-\$).did. or (US-5694577-\$ or US-5787287-\$ or US-5999737-\$ or US-6110227-\$ or US-6173444-\$ or US-6427230-\$ or US-6721945-\$).did.	US-PGPUB; USPAT	OR	ON	2005/10/14 15:54

S14 6	0	S145 and S142	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S14 7	177658	probabilit\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S14 8	19	tail adj duplicat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S14 9	1	"20030101442".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S15 0	1	"5107418".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S15 1	1	"6173444".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S15 2	1	"20030101442".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S15 3	1	"5107418".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S15 4	1	"6173 444 ".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S15 5	1	"5787287".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/10/14 15:54
S15 6	6	(optimiz\$5 near5 (object adj code)) and liveness	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S15 7	31	compiler near5 optimization near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54

S15 8	12	two adj pass adj compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S15 9	4	(two adj pass adj compil\$5) and ((object machine) adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S16 0	15	tail adj duplication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S16 1	. 6	(optimiz\$5 near5 (object adj code)) and liveness	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S16 2	31	compiler near5 optimization near5 object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S16 3	12	two adj pass adj compil\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S16 4	4	(two adj pass adj compil\$5) and ((object machine) adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S16 5	15	tail adj duplication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	ON	2005/10/14 15:54
S16 6	2	(upward downward up adj ward down adj ward) near (exposed) near register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	ON	2005/10/14 15:54
S16 7	2	(group\$3 isolat\$3 separat\$3) adj (reusable re adj usable) adj (code instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S16 8	8	(US-20020091998-\$).did. or (US-5694577-\$ or US-5787287-\$ or US-5999737-\$ or US-6110227-\$ or US-6173444-\$ or US-6427230-\$ or US-6721945-\$).did.	US-PGPUB; USPAT	OR	ON	2005/10/14 15:54
S16 9	2	S147 and S145	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54

S17 0	2	(upward downward up adj ward down adj ward) near5 (exposed) near5 register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S17 1	150	optimiz\$5 near object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S17 2	150	optimiz\$5 near object adj code	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S17 3	369	optimiz\$5 near5 (object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S17 4	369	optimiz\$5 near5 (object adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S17 5	1158	717/153-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S17 6	1158	717/153-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 15:54
S17 7	15	"tail duplication"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/10/14 16:19
S17 8	2521065	(separate distinguish apart divide classify discriminate disjoin)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 16:14
S17 9	14	S177 and S178	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/14 16:14
S18 0	43	tail near2 duplica\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/10/14 16:20
S18 1	28	S180 and S178	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/10/14 16:20

S18 2	14	S181 not S179	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/10/14 16:20
S18 3	1	S177 not S179	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/10/14 16:20
S18 4	15	S182 or S183	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/10/14 16:20